SS949

SIZE: 356 x 254 x 76mm

Colour: Light Blue

Main Body Material

Heavyweight double sided PVC coated flat yarn polyester.

Coating: 385 gsm

Base Fabric: 165 gsm

Tensile Strength: Warp 2000 (N/50mm) min

Weft 1450 (N/50mm) min

Tear Strength: Warp 375 (N) min

Weft 310 (N) min

Coating Adhesion: 6.0 (kgs/50mm) min

Cold Crack: -20C max

Window Material

Two windows

Window One:

Positioned to front centre of pouch approx 145mm from top of pouch and 35mm from base of pouch.

Window measures 120mm x 75mm and access is gained to it from *inside* the pouch.

Window Two:

Open fronted pocket (no clear window) measuring 175mm x 100mm.

Positioned top right hand corner of front of pouch approx 20mm from top and 20mm from right hand edge.

PVC Clear 240 micron.

Cadmium and Lead free.

Tensile Strength: Less than 200KG/CM2

Elongation Rate: Less than 260% Tear Strength: Less than 5KG/MM

Heat Shrinkage: Less than 6%

Zip Chain

Nylon No.5

Lateral Strength: 921 N

Crosswise Lateral Strength:264N Lengthwise Element Slippage: 2N

Zip Puller

Nylon 6.

Locking House

Acetal Coplymer Round Seal

Printing to Pouch

Printed on front of pouch in top left hand corner in black Chevin Bold font "Royal Mail"

Picture of front of pouch (back is blank)



Cotton

Core Spun Polyester 20/2 Ply light blue

Stitches

Lockstitch and 8 stitches to 2.5cm

MANUFACTURER'S IDENTITY LABEL

A manufacturer's identity label shall be positioned on the inside of the pouch, positioned on the top edge of the front pouch. The label shall state the following information:

Manufacturer's Name Michael Linnell & Co Ltd

New Harbours, 75 River Rd Barking, Essex. IG11 0DR

Tel:0208 594 5898 Fax: 0208 591 9282 E-Mail: Linnells@michaellinnell.co.uk
Website: www.michaellinnell.co.uk

Item Code SS949
 Manufactured Location China
 Date of manufacture Date
 PO Number number

GENERAL

All items shall be delivered in a clean condition and free from sewing thread ends. **PACKAGING**

All items shall be packed and delivered as stated Each box to have the following packing information

THE FOLLOWING FORMAT AND INFORMATION IS REQUIRE

PRODUCT CODE	QUANTITY PER CARTON
SS949	36
CARTON WEIGHT	UNIT OF ISSUE
	1
PURCHASE ORDER NUMBER	DATE OF MANUFACTURE
CARTON SIZE	

The boxes are then packed onto a wooden fumigated pallet:

Pallet Size 100cm x 120cm x 15cm 4 way entry

Packing configuration is 15 boxes per pallet