SS950

SIZE:

460 x 360 x 100mm

Colour:

Navy Blue

Special Delivery

Main Body Material

Lightweight double sided PVC coated loomstate nylon.

Coating: 205 gsm

Base Fabric: 74 gsm

Tensile Strength: Warp 900 (N/50mm) min

Weft 920 (N/50mm) min

Tear Strength: Warp 65 (N) min

Weft 68 (N) min

Coating Adhesion: 3.0 (kgs/50mm) min

Cold Crack: -25C max

Window Material

Positioned front of pouch to top right hand side approx 20mm from top of pouch and 30mm in from right hand side.

Window measures 120mm x 75mm

PVC Clear 240 micron.

Cadmium and Lead free.

Tensile Strength: Less than 200KG/CM2

Elongation Rate: Less than 260%

Tear Strength: Less than 5KG/MM

Heat Shrinkage: Less than 6%

Zip Chain

Nylon No.5

Lateral Strength: 921 N

Crosswise Lateral Strength:264N Lengthwise Element Slippage: 2N

Zip Puller

Nylon 6.

Locking House

Acetal Coplymer Round Seal

Printing to Pouch

To front of pouch -

Printed top left hand corner in white Chevin Bold Font "Royal Mail®"

Directly underneath printed in a combination of white Chevin Bold Font white Chevin Light and underlined:

"special delivery®"

Across the front of the pouch in white Chevin Bold "UK & International"

Then offset to right hand side underneath "..... International" is "Express and Signature Service"

Central at the foot of the front of the pouch is the Royal Mail cruciform logo in white measuring approx 100mm(w) and 66mm (h).

To the bottom left in white Chevin Bold the code SS950



Cotton

Core Spun Polyester 20/2 Ply Navy blue

Stitches

Lockstitch and 8 stitches to 2.5cm

MANUFACTURER'S IDENTITY LABEL

A manufacturer's identity label shall be positioned on the inside of the pouch, positioned on the top edge of the front pouch. The label shall state the following information:

Manufacturer's Name Michael Linnell & Co Ltd

New Harbours, 75 River Rd Barking, Essex. IG11 0DR

Tel:0208 594 5898 Fax: 0208 591 9282 E-Mail: Linnells@michaellinnell.co.uk
Website: www.michaellinnell.co.uk

Item Code SS950
 Manufactured Location China
 Date of manufacture Date
 PO Number number

GENERAL

All items shall be delivered in a clean condition and free from sewing thread ends. **PACKAGING**

All items shall be packed and delivered as stated Each box to have the following packing information

THE FOLLOWING FORMAT AND INFORMATION IS REQUIRE

PRODUCT CODE	QUANTITY PER CARTON
SS950	45
CARTON WEIGHT	UNIT OF ISSUE
	1
PURCHASE ORDER NUMBER	DATE OF MANUFACTURE
CARTON SIZE	

The boxes are then packed onto a wooden fumigated pallet:

Pallet Size 100cm x 120cm x 15cm 4 way entry

Packing configuration is 21 boxes per pallet